



2025 RAM PROMASTER





STANDARD ROOF



AVAILABLE HIGH ROOF



AVAILABLE SUPER HIGH ROOF

CONFIGURE TO MEET YOUR NEEDS

DESIGNED FOR THE DAILY GRIND. When it comes to business, you don't compromise and neither does Ram ProMaster®. The lineup arguably is the benchmark for durability, efficiency, advanced technology/connectivity, safety and convenience. ProMaster is designed purposely to be upfitter friendly and adaptable to your unique needs. With a selection of Cargo and Windowed Vans and Cutaways, there is a model ready to meet your demands.



118-INCH WHEELBASE, STANDARD ROOF

MAXIMUM CARGO CAPACITY:
261.9 CU FT



136-INCH WHEELBASE, HIGH ROOF (shown here)

MAXIMUM CARGO CAPACITY:
307.5 CU FT (STANDARD ROOF), 357.3 CU FT (HIGH ROOF)



159-INCH WHEELBASE, HIGH ROOF (shown here)

MAXIMUM CARGO CAPACITY:
425.9 CU FT (HIGH ROOF), 472 CU FT (SUPER HIGH ROOF)



159-INCH WHEELBASE, EXTENDED LOAD FLOOR, SUPER HIGH ROOF (shown here)

MAXIMUM CARGO CAPACITY:
468.9 CU FT (HIGH ROOF), 524 CU FT (SUPER HIGH ROOF)

Shown with aftermarket upfits.



RAM PROMASTER® CARGO VAN – TRADESMAN®

STANDARD FEATURES:

POWERTRAIN

- 3.6L V6 Variable Valve Timing (VVT)
- 9-speed automatic transmission

INTERIOR AMENITIES

- Air conditioning
- Cloth bucket driver seat 4-way manual adjust
- Cargo lamp
- Speed-sensitive power door locks
- Power front windows with 1-touch down
- Telescoping steering column
- Uconnect® 5 with 7-inch touchscreen display
- Trip computer
- USB host flip
- Google Android Auto™1*
- Apple CarPlay®2
- 12-volt DC power outlet
- Illuminated entry
- Driver and passenger door bins

EXTERIOR FEATURES

- 16-inch Painted Steel wheels
- LT225/75R16E BSW All-Season (A/S) tires
- Black front grille with Chrome Ram logo
- Front and rear cab clearance lamps
- Exterior mirrors with supplemental signals, foldaway, manual
- Remote keyless entry
- Halogen headlamps
- Rear step bumper

CAPABILITY & FUNCTIONALITY

- 24-gallon fuel tank
- 260-degree opening split swing-out rear hinged doors
- Front-Wheel Drive (FWD)
- Electric parking brake
- Sequential shift control
- Front strut and rear leaf suspension
- 4-wheel disc brakes
- Electric power-assisted rack and pinion steering
- Fully galvanized steel body construction
- 95-amp battery
- 180-amp alternator

SAFETY & SECURITY

- All-Speed Traction Control
- Antilock 4-wheel disc brakes
- Hands-free phone and audio connectivity
- Crosswind Assist
- Daytime running headlamps
- Driver and front-passenger airbags³
- Supplemental front-seat-side airbags³
- Supplemental side-curtain front airbags³
- Drowsy-Driver Detection⁴
- Electronic Roll Mitigation
- Full-Speed Forward Collision Warning Plus⁵
- Hill Start Assist
- Multi-Collision Braking
- ParkView® Rear Back-Up Camera⁶
- Pedestrian/Cyclist Emergency Braking⁵
- Tire Pressure Monitoring Display
- Traffic Sign Recognition⁷
- Trailer Sway Damping⁸

TRADESMAN SEATS



Cloth —
Black
Standard



Vinyl —
Black
Available

TRADESMAN WHEEL



16-inch
Painted Steel Wheel
Standard
(WCS)

AVAILABLE PACKAGE

Crew Van Package



Includes enclosed second-row three-seat bench seating, driver-side second-row deep-tint window and passenger-side sliding door with deep-tint window. With the interior designed to accommodate underseat loading, longer items fit easily in the cargo area.



| TRADESMAN CONFIGURATIONS | 1500 | | 2500 | | 3500 | | |
|------------------------------------|-------------|---------|-------------|---------|-------------|---------|------------------|
| | 3.6L V6 GAS | | 3.6L V6 GAS | | 3.6L V6 GAS | | |
| | 118" WB | 136" WB | 136" WB | 159" WB | 136" WB | 159" WB | 159" WB, EXT. LF |
| STANDARD ROOF | | | | — | | — | — |
| AVAILABLE HIGH ROOF | — | | | | — | | |
| AVAILABLE SUPER HIGH ROOF | — | — | — | — | — | | |
| CREW VAN PACKAGE HIGH ROOF ONLY | — | | | | — | | |

= CARGO LENGTH at max cargo height = CARGO LENGTH under Crew seating (at 49" wide) = CAB-TO-AXLE LENGTH **WB** = WHEELBASE **EXT. LF** = EXTENDED LOAD FLOOR

*All disclaimers can be found on the last page.



RAM PROMASTER® CARGO VAN – SLT

STANDARD FEATURES; INCLUDES SELECT TRADESMAN® FEATURES PLUS:

POWERTRAIN

- 3.6L V6 Variable Valve Timing (VVT)
- 9-speed automatic transmission

INTERIOR AMENITIES

- 12-volt rear auxiliary power outlet
- Ambient LED interior lighting
- 7-inch Thin Film Transistor (TFT) color display instrument cluster
- Front-passenger seat with 4-way manual adjust
- Bright instrument panel bezels
- Rear cargo LED lamp
- Rear Heater and A/C Prep Package

EXTERIOR FEATURES

- 16-inch Satin Silver Alloy wheels
- Chrome front grille
- Cowl aesthetic cover
- Power-adjustable, power-folding, heated exterior mirrors
- Remote Start System⁹
- Underslung tire carrier

CAPABILITY & FUNCTIONALITY

- 100-amp battery
- 220-amp alternator
- 115-volt auxiliary power outlet
- Full-size spare tire

SAFETY & SECURITY

- Adaptive Cruise Control (ACC) with Stop/Go⁴
- Automatic headlamps
- Auto High-Beam Headlamp Control
- Front LED fog lamps
- LED daytime running lamps (DRLs)
- LED reflector headlamps
- ParkSense® Rear Park Assist System¹⁰
- Rain-sensitive windshield wipers
- Security alarm¹¹

SLT SEATS



Cloth —
Black
Standard



Vinyl —
Black
Available



Leather-Trimmed Bucket —
Black
Available

SLT WHEELS



16-inch
Satin Silver Alloy Wheel
Standard
(WJR)



16-inch
Diamond-Cut Alloy Wheel
with Black Pockets
Available
(WNY)

| SLT CONFIGURATIONS | 1500 | | 2500 | | 3500 | | |
|---------------------------|-------------|---------|-------------|---------|-------------|---------|------------------|
| | 3.6L V6 GAS | | 3.6L V6 GAS | | 3.6L V6 GAS | | |
| | 118" WB | 136" WB | 136" WB | 159" WB | 136" WB | 159" WB | 159" WB, EXT. LF |
| STANDARD ROOF | — | | | — | | — | — |
| AVAILABLE HIGH ROOF | — | | | | — | | |
| AVAILABLE SUPER HIGH ROOF | — | — | — | — | — | | |

= CARGO LENGTH at max cargo height WB = WHEELBASE EXT. LF = EXTENDED LOAD FLOOR



RAM PROMASTER® CARGO VAN – SLT+

STANDARD FEATURES; INCLUDES SELECT TRADESMAN® FEATURES PLUS:

POWERTRAIN

3.6L V6 Variable Valve Timing (VVT)
9-speed automatic transmission

INTERIOR AMENITIES

12-volt rear auxiliary power outlet
Ambient LED interior lighting
7-inch Thin Film Transistor (TFT) color display instrument cluster
Bright instrument panel bezels
Rear cargo LED lamp
Rear Heater and A/C Prep Package
Digital rearview mirror with auto-dimming
Driver seat with 6-way manual adjust and 2-way lumbar adjust
Passenger seat with 6-way manual adjust and 2-way lumbar adjust
Uconnect® 5 NAV system with 10.1-inch touchscreen display
Connected Travel and Traffic Services
HD radio
Passenger-seat armrest
SiriusXM® with 360L¹²
Wireless charging pad

EXTERIOR FEATURES

16-inch Satin Silver Alloy wheels
Chrome front grille
Cowl aesthetic cover
Power-adjustable, power-folding, heated exterior mirrors
Remote Start System⁹
Underslung tire carrier
Passive entry

CAPABILITY & FUNCTIONALITY

100-amp battery
220-amp alternator
115-volt auxiliary power outlet
Full-size spare tire

SAFETY & SECURITY

Adaptive Cruise Control (ACC) with Stop/Go⁴
Automatic headlamps
Auto High-Beam Headlamp Control
Front LED fog lamps
LaneSense® Lane Departure Warning Plus (LDW+)¹³
LED daytime running lamps (DRLs)
LED reflector headlamps
Rain-sensitive windshield wipers
Security alarm¹¹
Blind Spot Monitoring (BSM)¹⁴ and Rear Cross-Path Detection System⁶
ParkSense® Front and Rear Park Assist System¹⁰
Traffic Sign Information⁷
Intelligent Speed Assist (ISA)¹⁵

SLT+ SEATS



Cloth —
Black
Standard



Vinyl —
Black
Available



Leather-Trimmed
Bucket —
Black
Available

AVAILABLE PACKAGES

Crew Van Package

Includes enclosed second-row three-seat bench seating, driver-side second-row deep-tint window and passenger-side sliding door with deep-tint window. With the interior designed to accommodate underseat loading, longer items fit easily in the cargo area.



Black Appearance Package

Includes Black RAM grille badge, Black exterior badging and 16-inch Gloss Black Alloy wheels.



SLT+ WHEELS



16-inch
Satin Silver Alloy Wheel
Standard
(WJR)



16-inch
Diamond-Cut Alloy Wheel
with Black Pockets
Available
(WNY)



16-inch
Gloss Black Alloy Wheel
Available
(WNA)

| SLT+ CONFIGURATIONS | 1500 | | 2500 | | 3500 | | |
|---------------------------------|-------------|---------|-------------|---------|-------------|---------|------------------|
| | 3.6L V6 GAS | | 3.6L V6 GAS | | 3.6L V6 GAS | | |
| | 118" WB | 136" WB | 136" WB | 159" WB | 136" WB | 159" WB | 159" WB, EXT. LF |
| STANDARD ROOF | — | | | — | | — | — |
| AVAILABLE HIGH ROOF | — | | | | — | | |
| AVAILABLE SUPER HIGH ROOF | — | — | — | — | — | | |
| CREW VAN PACKAGE HIGH ROOF ONLY | — | | | | — | | |

= CARGO LENGTH at max cargo height = CARGO LENGTH under Crew seating (at 49" wide) WB = WHEELBASE EXT. LF = EXTENDED LOAD FLOOR



RAM PROMASTER® WINDOWED VAN – TRADESMAN®

STANDARD FEATURES:

POWERTRAIN

3.6L V6 Variable Valve Timing (VVT)
9-speed automatic transmission

INTERIOR AMENITIES

12-volt DC power outlet
3.5-inch Thin Film Transistor (TFT) instrument cluster
Google Android Auto™¹
Apple CarPlay®²
Driver and passenger door bins
Driver seat with 4-way manual adjust
Mini overhead console
Rear cargo lamp
Rear Heater and A/C Prep Package
Uconnect® 5 with 7-inch touchscreen display

EXTERIOR FEATURES

16-inch Painted Steel wheels
Black front grille with Chrome RAM logo
Deep-tint sunscreen glass
Exterior mirrors with supplemental signals, foldaway, manual
Front and rear cab clearance lamps
Halogen headlamps
LT225/75R16E BSW All-Season (A/S) tires
Rear window defroster
Underslung tire carrier

CAPABILITY & FUNCTIONALITY

95-amp battery
180-amp alternator
260-degree opening split swing-out rear hinged doors with fixed glass
Electronic parking brake
Front strut and rear leaf suspension
Sequential shift control

SAFETY & SECURITY

All-Speed Traction Control
Antilock 4-wheel disc brakes
Crosswind Assist
Daytime running headlamps
Driver and front-passenger airbags³
Drowsy-Driver Detection⁴
Electronic Roll Mitigation
Full-Speed Forward Collision Warning Plus⁵
Hands-free phone and audio connectivity
Hill Start Assist
Integrated Voice Command with Bluetooth®
Multi-Collision Braking
ParkView® Rear Back-Up Camera⁶
Pedestrian/Cyclist Emergency Braking⁵
Supplemental front-seat-side airbags³
Supplemental side-curtain front airbags³
Tire Pressure Monitoring Display
Traffic Sign Recognition⁷
Trailer Sway Damping⁸

TRADESMAN SEATS



Cloth —
Black
Standard



Vinyl —
Black
Available

TRADESMAN WHEEL



16-inch
Steel Wheel
Standard
(WCS)

| TRADESMAN CONFIGURATIONS | 1500 | | 2500 | | 3500 | | |
|--------------------------|-------------|---------|-------------|---------|-------------|---------|------------------|
| | 3.6L V6 GAS | | 3.6L V6 GAS | | 3.6L V6 GAS | | |
| | 118" WB | 136" WB | 136" WB | 159" WB | 136" WB | 159" WB | 159" WB, EXT. LF |
| HIGH ROOF ONLY | — | — | — | | — | — | |

= CARGO LENGTH at max cargo height **WB** = WHEELBASE **EXT. LF** = EXTENDED LOAD FLOOR



RAM PROMASTER® WINDOWED VAN – SLT+

STANDARD FEATURES:

POWERTRAIN

3.6L V6 Variable Valve Timing (VVT)
9-speed automatic transmission

INTERIOR AMENITIES

12-volt DC power outlet
12-volt rear auxiliary power outlet
7-inch Thin Film Transistor (TFT) color display instrument cluster
Ambient LED interior lighting
Google Android Auto™¹
Apple CarPlay®²
Bright instrument panel bezels
Digital rearview mirror with auto-dimming
Driver and passenger door bins
Driver seat with 6-way manual adjust and 2-way lumbar adjust
HD radio
Mini overhead console
Passenger-seat armrest
Passenger seat with 6-way manual adjust and 2-way lumbar adjust
Rear cargo LED lamp
Rear Heater and A/C Prep Package
SiriusXM® with 360L¹²
Uconnect® 5 NAV system with 10.1-inch touchscreen display
Wireless charging pad

EXTERIOR FEATURES

16-inch Satin Silver Alloy wheels
Chrome front grille with Chrome Ram logo
Cowl aesthetic cover
Deep-tint sunscreen glass
Front and rear cab clearance lamps
Halogen headlamps
LT225/75R16E BSW All-Season (A/S) tires
Passive entry
Power-adjustable, power-folding, heated exterior mirrors
Rear window defroster
Remote keyless entry
Remote Start System⁹
Underslung tire carrier

CAPABILITY & FUNCTIONALITY

100-amp battery
115-volt auxiliary power outlet
220-amp alternator
260-degree opening split swing-out rear hinged doors with fixed glass
Electronic parking brake
Front strut and rear leaf suspension
Full-size spare tire
Sequential shift control

SAFETY & SECURITY

Adaptive Cruise Control (ACC) with Stop/Go⁴
All-Speed Traction Control
Antilock 4-wheel disc brakes
Auto High-Beam Headlamp Control
Automatic headlamps
Blind Spot Monitoring (BSM)¹⁴ and Rear Cross-Path Detection System⁶
Crosswind Assist
Daytime running headlamps
Driver and front-passenger airbags³
Drowsy-Driver Detection⁴
Electronic Roll Mitigation
Front LED fog lamps
Full-Speed Forward Collision Warning Plus⁵
Hands-free phone and audio connectivity
Hill Start Assist
Integrated Voice Command with Bluetooth®
Intelligent Speed Assist (ISA)¹⁵
LED daytime running lamps (DRLs)
LED reflector headlamps
Multi-Collision Braking
ParkSense® Front and Rear Park Assist System¹⁰
ParkView® Rear Back-Up Camera⁶
Pedestrian/Cyclist Emergency Braking⁵
Rain-sensitive windshield wipers
Supplemental front-seat-side airbags³
Supplemental side-curtain front airbags³
Tire Pressure Monitoring Display
Traffic Sign Information⁷
Traffic Sign Recognition⁷
Trailer Sway Damping⁸

SLT+ SEATS



Cloth —
Black
Standard



Vinyl —
Black
Available



Leather-Trimmed
Bucket —
Black
Available

AVAILABLE PACKAGE

Black Appearance Package

Includes Black RAM grille badge, Black exterior badging and 16-inch Gloss Black Alloy wheels.



SLT+ WHEELS





16-inch
Satin Silver Alloy Wheel
Standard
(WJR)




16-inch
Diamond-Cut Alloy Wheel
with Black Pockets
Available
(WNY)



16-inch
Gloss Black Alloy Wheel
Available
(WNA)

| SLT+ CONFIGURATIONS | 1500 | | 2500 | | 3500 | | |
|------------------------|-------------|---------|-------------|---|-------------|---------|---|
| | 3.6L V6 GAS | | 3.6L V6 GAS | | 3.6L V6 GAS | | |
| | 118" WB | 136" WB | 136" WB | 159" WB | 136" WB | 159" WB | 159" WB, EXT. LF |
| HIGH ROOF ONLY | — | — | — |  | — | — |  |

 = CARGO LENGTH at max cargo height **WB** = WHEELBASE **EXT. LF** = EXTENDED LOAD FLOOR

RAM PROMASTER® CUTAWAY – TRADESMAN®



STANDARD FEATURES:

POWERTRAIN

3.6L V6 Variable Valve Timing (VVT)
9-speed automatic transmission

INTERIOR AMENITIES

Air conditioning
Cloth bucket driver seat 4-way manual adjust
3.5-inch Thin Film Transistor (TFT) Black-and-White display cluster
Speed-sensitive power door locks
Power front windows with 1-touch down
Telescoping steering column
Uconnect® 5 with 7-inch touchscreen display
Trip computer
USB host flip
Google Android Auto™¹
Apple CarPlay®²
12-volt DC power outlet

EXTERIOR FEATURES

16-inch Painted Steel wheels
LT225/75R16 BSW All-Season (A/S) tires
Black front grille with Chrome Ram logo
Front cab clearance lamps
Wide, 96-inch, exterior mirrors with supplemental signals, foldaway, manual
Remote keyless entry
Halogen headlamps
"ProMaster" side-door badging

CAPABILITY & FUNCTIONALITY

24-gallon fuel tank
Wide rear axle
Front-Wheel Drive (FWD)
Electronic parking brake
Sequential shift control
Premium heavy-duty suspension with rear heavy-duty stabilizer bar
4-wheel disc brakes
Electric power-assisted rack and pinion steering
Fully galvanized steel body construction
95-amp battery
220-amp alternator

SAFETY & SECURITY

All-Speed Traction Control
Antilock 4-wheel disc brakes
Hands-free phone and audio connectivity
Crosswind Assist
Daytime running headlamps
Driver and front-passenger airbags³
Supplemental front-seat-side airbags³
Supplemental side-curtain front airbags³
Drowsy-Driver Detection⁴
Electronic Roll Mitigation
Full-Speed Forward Collision Warning Plus⁵
Hill Start Assist
Multi-Collision Braking
Rear back-up camera kit⁶
Pedestrian/Cyclist Emergency Braking⁵
Tire Pressure Monitoring Display
Tire sealant and air compressor
Traffic Sign Recognition⁷
Trailer Sway Damping⁸

TRADESMAN SEATS



Cloth —
Black
Standard





Vinyl —
Black
Available

TRADESMAN WHEEL



16-inch
Steel Wheel
Standard
(WCS)

| TRADESMAN CONFIGURATIONS | 1500 | | 2500 | | 3500 | | |
|--------------------------|-------------|---------|-------------|---------|-------------|---|---|
| | 3.6L V6 GAS | | 3.6L V6 GAS | | 3.6L V6 GAS | | |
| | 118" WB | 136" WB | 136" WB | 159" WB | 136" WB | 159" WB | 159" WB, EXT. LF |
| STANDARD ROOF ONLY | — | — | — | — | — |  |  |

 = CAB-TO-AXLE LENGTH **WB** = WHEELBASE **EXT. LF** = EXTENDED LOAD FRAME

RAM PROMASTER® CUTAWAY – SLT



STANDARD FEATURES; INCLUDES SELECT TRADESMAN® FEATURES PLUS:

POWERTRAIN
3.6L V6 Variable Valve Timing (VVT)
9-speed automatic transmission

INTERIOR AMENITIES
12-volt rear auxiliary power outlet
7-inch Thin Film Transistor (TFT) color display instrument cluster
Front-passenger seat with 4-way manual adjust
Bright instrument panel bezels

EXTERIOR FEATURES
16-inch Satin Silver Alloy wheels
Chrome front grille
Cowl aesthetic cover
Power-adjustable, manual-folding, heated exterior mirrors
Remote Start System⁹
Underslung tire carrier

CAPABILITY & FUNCTIONALITY
100-amp battery
115-volt auxiliary power outlet
Full-size spare tire

SAFETY & SECURITY
Adaptive Cruise Control (ACC) with Stop/Go⁴
Automatic headlamps
Auto High-Beam Headlamp Control
Front LED fog lamps
LED daytime running lamps (DRLs)
LED reflector headlamps
Rain-sensitive windshield wipers

SLT SEATS



Cloth — Black
Standard



Vinyl — Black
Available



Leather-Trimmed Bucket — Black
Available



SLT WHEELS



16-inch Satin Silver Alloy Wheel
Standard (WJR)



16-inch Diamond-Cut Alloy Wheel with Black Pockets
Available (WNY)

| SLT CONFIGURATIONS | 1500 | | 2500 | | 3500 | | |
|--------------------|-------------|---------|-------------|---------|-------------|---|---|
| | 3.6L V6 GAS | | 3.6L V6 GAS | | 3.6L V6 GAS | | |
| | 118" WB | 136" WB | 136" WB | 159" WB | 136" WB | 159" WB | 159" WB, EXT. LF |
| STANDARD ROOF ONLY | — | — | — | — | — |  |  |

 = CAB-TO-AXLE LENGTH **WB** = WHEELBASE **EXT. LF** = EXTENDED LOAD FRAME

RAM PROMASTER® CUTAWAY – SLT+



STANDARD FEATURES; INCLUDES SELECT TRADESMAN® FEATURES PLUS:

POWERTRAIN
3.6L V6 Variable Valve Timing (VVT)
9-speed automatic transmission

INTERIOR AMENITIES
12-volt rear auxiliary power outlet
7-inch Thin Film Transistor (TFT) color display instrument cluster
Bright instrument panel bezels
Digital rearview mirror with auto-dimming
Driver seat with 6-way manual adjust and 2-way lumbar adjust
HD radio
Passenger-seat armrest
Passenger seat with 6-way manual adjust and 2-way lumbar adjust
SiriusXM® with 360L¹²
Uconnect® 5 NAV system with 10.1-inch touchscreen display
Wireless charging pad

EXTERIOR FEATURES
16-inch Satin Silver Alloy wheels
Chrome front grille
Cowl aesthetic cover
Passive entry
Power-adjustable, manual-folding, heated exterior mirrors
Remote Start System⁹
Underslung tire carrier

CAPABILITY & FUNCTIONALITY
100-amp battery
115-volt auxiliary power outlet
Full-size spare tire

SAFETY & SECURITY
Adaptive Cruise Control (ACC) with Stop/Go⁴
Automatic headlamps
Auto High-Beam Headlamp Control
Blind Spot Monitoring (BSM)¹⁴ and Rear Cross-Path Detection System⁶
Front LED fog lamps
Integrated Voice Command with Bluetooth®
Intelligent Speed Assist (ISA)¹⁵
LaneSense® Lane Departure Warning Plus (LDW+)¹³
LED daytime running lamps (DRLs)
LED reflector headlamps
Rain-sensitive windshield wipers
Traffic Sign Information⁷

SLT+ SEATS



Cloth —
Black
Standard



Vinyl —
Black
Available



Leather-Trimmed
Bucket —
Black
Available

AVAILABLE PACKAGE

Black Appearance Package
Includes Black RAM grille badge, Black exterior badging and 16-inch Black-painted Aluminum wheels.



SLT+ WHEELS



16-inch
Satin Silver Alloy Wheel
Standard
(WJR)



16-inch
Diamond-Cut Alloy Wheel
with Black Pockets
Available
(WNY)



16-inch
Gloss Black Alloy Wheel
Available
(WNA)

| SLT+ CONFIGURATIONS | 1500 | | 2500 | | 3500 | | |
|------------------------|-------------|---------|-------------|---------|-------------|---------|------------------|
| | 3.6L V6 GAS | | 3.6L V6 GAS | | 3.6L V6 GAS | | |
| | 118" WB | 136" WB | 136" WB | 159" WB | 136" WB | 159" WB | 159" WB, EXT. LF |
| STANDARD ROOF ONLY | — | — | — | — | — | | |

= CAB-TO-AXLE LENGTH **WB** = WHEELBASE **EXT. LF** = EXTENDED LOAD FRAME



RAM PROMASTER® EV CARGO VAN – TRADESMAN®

STANDARD FEATURES:

POWERTRAIN

All-electric 110-kWh battery

INTERIOR AMENITIES

- Air conditioning
- Cloth bucket driver seat with 4-way manual adjust
- Cargo lamp
- Speed-sensitive power door locks
- Power front windows with 1-touch down
- Telescoping steering column
- Uconnect® 5 NAV system with 10-inch touchscreen display
- Trip computer
- USB host flip
- Google Android Auto™¹
- Apple CarPlay®²
- 12-volt DC power outlet
- Illuminated entry
- Driver and passenger door bins
- SiriusXM® with 360L¹²
- Connected Travel and Traffic Services
- HD radio
- 7-inch Thin Film Transistor (TFT) color display instrument cluster

EXTERIOR FEATURES

- 16-inch Satin Silver Alloy wheels
- LT225/75R16E BSW All-Season (A/S) tires
- Black front grille with Chrome Ram logo
- Front and rear cab clearance lamps
- Manual foldaway exterior mirrors with supplemental signals
- Remote keyless entry
- Rear step bumper

CAPABILITY & FUNCTIONALITY

- 260-degree opening split swing-out rear hinged doors
- Front-Wheel Drive (FWD)
- Electric parking brake
- Heavy-duty suspension with rear stabilizer bar
- 4-wheel disc brakes
- Electric power-assisted rack and pinion steering
- Fully galvanized steel body construction
- 95-amp battery

SAFETY & SECURITY

- Adaptive Cruise Control (ACC) with Stop and Go⁴
- All-Speed Traction Control
- Antilock 4-wheel disc brakes
- Automatic headlamps
- Auto High-Beam Headlamp Control
- Integrated Voice Command with Bluetooth®
- Crosswind Assist
- Driver and front-passenger airbags³
- Supplemental front-seat-side airbags³
- Supplemental side-curtain front airbags³
- Drowsy-Driver Detection⁴
- Electronic Roll Mitigation
- Full-Speed Forward Collision Warning Plus⁵
- Hill Start Assist
- LED reflector headlamps
- Multi-Collision Braking
- ParkView® Rear Back-Up Camera⁶
- Pedestrian/Cyclist Emergency Braking⁵
- Rain-sensitive windshield wipers
- Security alarm¹¹
- Tire Pressure Monitoring Display
- Traction control
- Traffic Sign Information⁷

EV TRADESMAN SEATS



Cloth —
Black
Standard





Vinyl —
Black
Available

EV TRADESMAN WHEEL



16-inch
Satin Silver Alloy Wheel
Standard
(WJR)

| EV TRADESMAN CONFIGURATIONS | ALL-ELECTRIC 110-KWH BATTERY | |
|-----------------------------|---|---|
| | 159" WB | 159" WB, EXT. LF |
| STANDARD HIGH ROOF |  |  |

 = CARGO LENGTH at max cargo height  = CARGO LENGTH under Crew seating (at 49" wide) **WB** = WHEELBASE **EXT. LF** = EXTENDED LOAD FLOOR



RAM PROMASTER® EV CARGO VAN – SLT

STANDARD FEATURES; INCLUDES SELECT EV TRADESMAN® FEATURES PLUS:

POWERTRAIN

All-electric 110-kWh battery

INTERIOR AMENITIES

12-volt rear auxiliary power outlet
Ambient LED interior lighting
Front-passenger seat with 4-way manual adjust
Bright instrument panel bezels
Rear cargo LED lamp

EXTERIOR FEATURES

Chrome front grille
Cowl aesthetic cover
Power-adjustable, power-folding, heated exterior mirrors
Remote Start System⁹
Underslung tire carrier

CAPABILITY & FUNCTIONALITY

100-amp battery
115-volt auxiliary power outlet
Full-size spare tire

SAFETY & SECURITY

Adaptive Cruise Control (ACC) with Stop and Go⁴
Security alarm¹¹

EV SLT SEATS



Cloth —
Black
Standard



Vinyl —
Black
Available



Leather-Trimmed Bucket —
Black
Available



EV SLT WHEELS



16-inch
Satin Silver Alloy Wheel
Standard
(WJR)



16-inch
Diamond-Cut Alloy Wheel
with Black Pockets
Available
(WNY)

| EV SLT CONFIGURATIONS | ALL-ELECTRIC 110-KWH BATTERY | |
|-----------------------|---|---|
| | 159" WB | 159" WB, EXT. LF |
| STANDARD HIGH ROOF |  |  |

 = CARGO LENGTH at max cargo height  = CARGO LENGTH under Crew seating (at 49" wide) **WB** = WHEELBASE **EXT. LF** = EXTENDED LOAD FLOOR



RAM PROMASTER® EV CARGO VAN – SLT+

STANDARD FEATURES; INCLUDES SELECT EV TRADESMAN® FEATURES PLUS:

POWERTRAIN

All-electric 110-kWh battery

INTERIOR AMENITIES

- 12-volt rear auxiliary power outlet
- Ambient LED interior lighting
- Bright instrument panel bezels
- Rear cargo LED lamp
- Digital rearview mirror with auto-dimming
- Driver seat with 6-way manual adjust and 2-way lumbar adjust
- Passenger seat with 6-way manual adjust and 2-way lumbar adjust
- Wireless charging pad

EXTERIOR FEATURES

- Chrome front grille
- Cowl aesthetic cover
- Power-adjustable, power-folding, heated exterior mirrors
- Remote Start System⁹
- Underslung tire carrier
- Passive entry (late availability)

CAPABILITY & FUNCTIONALITY

- 100-amp battery
- 115-volt auxiliary power outlet
- Full-size spare tire

SAFETY & SECURITY

- Adaptive Cruise Control (ACC) with Stop & Go⁴
- LaneSense Departure Warning Plus (LDW+)¹³
- Blind Spot Monitoring (BSM)¹⁴ and Rear Cross-Path Detection System⁶
- Security alarm¹¹
- Intelligent Speed Assist (ISA)¹⁵

EV SLT+ SEATS



Cloth —
Black
Standard



Vinyl —
Black
Available



Leather-Trimmed
Bucket —
Black
Available

AVAILABLE PACKAGES

Black Appearance Package

Includes Black RAM grille badge, Black exterior badging and 16-inch Gloss Black alloy wheels.



EV SLT+ WHEELS





16-inch
Satin Silver Alloy Wheel
Standard
(WJR)



16-inch
Diamond-Cut Alloy Wheel
with Black Pockets
Available
(WNY)



16-inch
Gloss Black Alloy Wheel
Available
(WNA)

| EV SLT+ CONFIGURATIONS | ALL-ELECTRIC 110-KWH BATTERY | |
|------------------------|---|---|
| | 159" WB | 159" WB, EXT. LF |
| | STANDARD HIGH ROOF | |
| |  |  |

 = CARGO LENGTH at max cargo height  = CARGO LENGTH under Crew seating (at 49" wide) **WB** = WHEELBASE **EXT. LF** = EXTENDED LOAD FLOOR

RAM PROMASTER® EV STEP VAN



STANDARD FEATURES:

POWERTRAIN

All-electric 110-kWh battery

INTERIOR AMENITIES

Digital rearview mirror with auto-dimming
A-pillar grab handles
Door check nylon strap
Passenger Seat Delete
Leather-wrapped steering wheel
Air conditioning
Heated cloth bucket driver seat with 4-way manual adjust
Rear cargo LED lamp
Power front windows with 1-touch down
Telescoping steering column
Uconnect® 5 NAV system with 10-inch touchscreen display
Trip computer
USB host flip
Google Android Auto™
Apple CarPlay®²
12-volt DC power outlet
SiriusXM® with 360L¹²
Connected Traffic and Travel Services
HD radio
7-inch Thin Film Transistor (TFT) color display instrument cluster

EXTERIOR FEATURES

16-inch Painted Steel wheels
LT225/75R16E BSW All-Season (A/S) tires
Black front grille with Chrome Ram logo
Front and rear cab clearance lamps
Wide, heated, power-adjustable exterior mirrors with supplemental signals
Passenger-side pocket door
Remote keyless entry
Super high roof

CAPABILITY & FUNCTIONALITY

Roll-up rear door
Front-Wheel Drive (FWD)
Electric parking brake
Heavy-duty suspension with rear stabilizer bar
4-wheel disc brakes
Electric power-assisted rack and pinion steering
Fully galvanized steel body construction
95-amp battery

SAFETY & SECURITY

All-Speed Traction Control
Antilock 4-wheel disc brakes
Automatic headlamps
Auto High-Beam Headlamp Control
Integrated Voice Command with Bluetooth®
Crosswind Assist
Door-only key
Driver and front-passenger airbags³
Supplemental front-seat-side airbags³
Supplemental side-curtain front airbags³
Drowsy-Driver Detection⁴
Electronic Roll Mitigation
Full-Speed Forward Collision Warning Plus⁵
Hill Start Assist
LED daytime running lamps (DRLs)
LED front fog lamps
LED reflector headlamps
Multi-Collision Braking
Pedestrian/Cyclist Emergency Braking⁵
Rain-sensitive windshield wipers
Tire Pressure Monitoring Display
Tire sealant and air compressor
Traction control
Traffic Sign Recognition⁷

EV STEP VAN SEAT



Cloth —
Gray
Standard

EV STEP VAN WHEEL




16-inch
Painted Steel Wheel
Standard
(WCS)

STANDARD GROUP

Safety/Convenience Group

Includes Adaptive Cruise Control with Stop & Go,⁴ Blind Spot Monitoring (BSM)¹⁴ and Rear Cross-Path Detection System,⁶ heated steering wheel, heated windshield, ParkSense® Front and Rear Park Assist System with Stop,¹⁰ 360-degree Surround-View Camera System,⁶ Upfit Kit (walk-in partition with door, non-skid cargo flooring, hard step floor covering in front-seat area and pocket door protection grab handles), white noise back-up alarm and wireless charging pad.

| EV STEP VAN CONFIGURATION | ALL-ELECTRIC 110-KWH BATTERY | |
|---------------------------------|------------------------------|---|
| | 159" WB | 159" WB, EXT. LF |
| STANDARD SUPER HIGH ROOF | — |  |

 = CARGO LENGTH at max cargo height  = CARGO LENGTH under Crew seating (at 49" wide) **WB** = WHEELBASE **EXT. LF** = EXTENDED LOAD FLOOR

RAM PROMASTER® EXTERIOR COLORS

BRIGHT WHITE
(PW7)



SANDSTONE PEARL
(PFS)



BRIGHT SILVER METALLIC
(PS2)



CERAMIC GRAY
(PDN)



SPITFIRE ORANGE
(PF2)



FLAME RED
(PR4)



DEEP CHERRY RED
(PRP)



GRANITE CRYSTAL METALLIC
(PAU)



PATRIOT BLUE
(PPX)



BLACK
(PX8)















































| CAPABILITY | CARGO VAN | | | | | | | | | | | | | | WINDOWED VAN | | CUTAWAY | |
|---|---------------|---------------|-----------|---------------|-----------|-----------|---------------|-----------|-----------|-----------------|------------------|-----------------|-----------|---------------------------------|--------------|------------------|-------------|------------------|
| | 1500 | | | 2500 | | | 3500 | | | | | | | | 2500 | 3500 | 3500 | |
| | 3.6L V6 GAS | | | 3.6L V6 GAS | | | 3.6L V6 GAS | | | | | | | ALL-ELECTRIC 110-KWH BATTERY | 3.6L V6 GAS | | 3.6L V6 GAS | |
| | 118" WB | 136" WB | | 136" WB | | 159" WB | 136" WB | | 159" WB | | 159" WB, EXT. LF | | 159" WB | 159" WB, EXT. LF | 159" WB | 159" WB, EXT. LF | 159" WB | 159" WB, EXT. LF |
| | STANDARD ROOF | STANDARD ROOF | HIGH ROOF | STANDARD ROOF | HIGH ROOF | HIGH ROOF | STANDARD ROOF | HIGH ROOF | HIGH ROOF | SUPER HIGH ROOF | HIGH ROOF | SUPER HIGH ROOF | HIGH ROOF | HIGH ROOF | HIGH ROOF | HIGH ROOF | 104.7" CA | 104.7" CA |
| GVWR ¹⁶ (lb) | 8,550 | 8,550 | 8,550 | 8,900 | 8,900 | 8,900 | 9,350 | 9,350 | 9,350 | 9,350 | 9,350 | 9,350 | 9,350 | 9,350 | 8,900 | 9,350 | 9,350 | 9,350 |
| GCWR ¹⁶ (lb) | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | N/A | N/A | 12,000 | 12,000 | 12,000 | 12,000 |
| BASE CURB WEIGHT (lb) | 4,400 | 4,498 | 4,747 | 4,505 | 4,746 | 4,900 | 4,534 | 4,795 | 4,921 | 5,040 | 5,033 | 5,051 | 6,328 | 6,441 | 4,815 | 4,938 | 3,996 | 4,044 |
| MAXIMUM PAYLOAD ¹⁷ (lb) | 4,150 | 4,050 | 3,800 | 4,400 | 4,150 | 4,000 | 4,820 | 4,560 | 4,430 | 4,310 | 4,320 | 4,300 | 3,020 | 2,910 | 4,090 | 4,410 | 5,350 | 5,310 |
| FRONT GAWR ¹⁶ (lb) | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 |
| REAR GAWR ¹⁶ (lb) | 5,004 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 |
| CURB-TO-CURB TURNING (ft) | 36.3 | 40.7 | 40.7 | 40.7 | 40.7 | 46.8 | 40.7 | 40.7 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 |
| MAXIMUM TOWING ¹⁷ (lb)—SAE J2807 Compliant | 6,910 | 6,800 | 6,700 | 6,800 | 6,700 | 6,480 | 6,700 | 6,600 | 6,480 | 6,410 | 6,410 | 6,410 | N/A | N/A | 6,480 | 6,410 | 5,600 | 5,600 |

DIMENSIONS

| | | | | | | | | | | | | | | | | | | |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| BODY HEIGHT (in) | 91.7 | 93.0 | 103.6 | 93.0 | 103.6 | 102.1 | 93.0 | 103.6 | 102.1 | 111.1 | 102.5 | 111.5 | 102.5 | 111.5 | 102.1 | 102.5 | 87.3 | 87.3 |
| OVERALL BODY LENGTH (in) | 195.5 | 213.2 | 213.2 | 213.2 | 213.2 | 236.3 | 213.2 | 213.2 | 236.3 | 236.3 | 250.6 | 250.6 | 250.6 | 250.6 | 236.3 | 250.6 | 236.3 | 250.6 |
| VEHICLE WIDTH WITHOUT MIRRORS (in) | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 |
| VEHICLE WIDTH WITH MIRRORS EXTENDED (in) | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 |
| CARGO BODY LENGTH AT FLOOR (in) | 106.3 | 124.1 | 124.1 | 124.1 | 124.1 | 147.1 | 124.1 | 124.1 | 147.1 | 147.1 | 161.5 | 161.5 | 161.5 | 161.5 | 147.1 | 161.5 | — | — |
| CARGO WIDTH AT FLOOR (in) | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | — | — |
| CARGO WIDTH AT WHEEL WELL (in) | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | — | — |
| SIDE-DOOR OPENING WIDTH (in) | 40.2 | 47.1 | 47.1 | 47.1 | 47.1 | 47.1 | 47.1 | 47.1 | 47.1 | 47.1 | 47.1 | 47.1 | 47.1 | 47.1 | 47.1 | 47.1 | — | — |
| SIDE-DOOR OPENING HEIGHT (in) | 58.1 | 58.1 | 69.0 | 58.1 | 69.0 | 69.0 | 58.1 | 69.0 | 69.0 | 69.0 | 69.0 | 69.0 | 69.0 | 69.0 | 69.0 | 69.0 | — | — |
| REAR-DOOR OPENING WIDTH (in) | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | — | — |
| REAR-DOOR OPENING HEIGHT (in) | 59.6 | 59.6 | 70.5 | 59.6 | 70.5 | 70.5 | 59.6 | 70.5 | 70.5 | 79.6 | 70.5 | 79.6 | 70.5 | 79.6 | 70.5 | 70.5 | — | — |
| ROLL-UP DOOR WIDTH (in) | — | — | — | — | — | — | — | — | — | — | 46 | 46 | — | — | — | — | — | — |
| ROLL-UP DOOR HEIGHT (in) | — | — | — | — | — | — | — | — | — | — | 74 | 74 | — | — | — | — | — | — |
| MAXIMUM CARGO HEIGHT (in) | 66.9 | 66.9 | 77.6 | 66.9 | 77.6 | 77.6 | 66.9 | 77.6 | 77.6 | 86.4 | 77.6 | 86.4 | 77.6 | 86.4 | 77.6 | 77.6 | — | — |
| MAXIMUM CARGO VOLUME (cu ft) | 261.9 | 307.5 | 357.3 | 307.5 | 357.3 | 425.9 | 307.5 | 357.3 | 425.9 | 472 | 468.9 | 524.0 | 468.9 | 524.0 | 425.9 | 468.9 | — | — |
| CAB TO REAR AXLE (in) | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 104.7 | 104.7 |
| OVERHANGING REAR AXLE TO END OF FRAME (in) | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 37.4 | 48.7 |

ICE = INTERNAL COMBUSTION ENGINE EV = ELECTRIC VEHICLE WB = WHEELBASE CA = CAB-TO-AXLE EXT. LF = EXTENDED LOAD FLOOR

RAM PROMASTER® CONFIGURATIONS

| | | 1500 | | 2500 | | 3500 | | |
|------------------|--|---|---|---|---|---|---|---|
| | | 3.6L V6 GAS | | 3.6L V6 GAS | | 3.6L V6 GAS | | |
| | | 118" WB | 136" WB | 136" WB | 159" WB | 136" WB | 159" WB | 159" WB, EXT. LF |
| CARGO VAN |  STANDARD ROOF |  |  |  |  |  |  |  |
| |  AVAILABLE HIGH ROOF |  |  |  |  |  |  |  |
| |  AVAILABLE SUPER HIGH ROOF |  |  |  |  |  |  |  |
| CREW VAN PACKAGE |  HIGH ROOF ONLY |  |  |  |  |  |  |  |
| WINDOWED VAN |  HIGH ROOF ONLY |  |  |  |  |  |  |  |
| CUTAWAY |  STANDARD ROOF ONLY |  | <div><div></div> = CARGO LENGTH AT MAX CARGO HEIGHT <div></div> = CARGO LENGTH UNDER CREW SEATING (AT 49" WIDE) <div></div> = CAB TO REAR AXLE WB = WHEELBASE EXT. LF = EXTENDED LOAD FLOOR</div> | | |  |  | |



FOLLOW US



1 To wirelessly use Android Auto on your display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at [g.co/androidauto/requirements](https://www.fcausllc.com/androidauto/requirements). 2 Requires compatible iPhone. Contact dealer for phone compatibility. Data plan rates apply. Vehicle user interface is a product of Apple. 3 Always sit properly in designated seating positions with seat belts securely fastened at all times. 4 This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. 5 This system is an alert system for the front of the vehicle. It is not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. 6 Always check entire surroundings visually before proceeding. 7 Traffic Sign Recognition is not a substitute for safe and attentive driving. Factors including weather and condition of the traffic sign can impact recognition and display of the sign. Always check traffic signs visually while driving. 8 Always drive carefully, consistent with conditions. Always wear your seat belt and obey traffic laws. 9 Check state and local laws regarding the use of remote start systems. 10 Always look before proceeding. An electronic drive aid is not a substitute for conscientious driving. Always be aware of your surroundings. 11 Vehicle must be locked and system activated for alarm to sound. 12 SiriusXM with 360L is only available on select vehicles. Certain features and/or content may not be available unless an active data connection is enabled in the vehicle. Content varies by subscription plan. Features and display may vary by vehicle. 13 This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and maintain control of the vehicle. 14 Always check visually for vehicles prior to changing lanes. 15 This system is a driver convenience system, not a substitute for active driver involvement. Factors including weather and condition of the traffic sign can impact recognition and display of the sign. Driver must remain aware of traffic conditions and maintain control of the vehicle. 16 Assumes properly equipped vehicle and 150-lb allowance for driver. Additional options, equipment, passengers and cargo weight must be subtracted. Contact dealer for details. 17 Max payload/towing ratings shown are for base configuration. Additional options, equipment, passengers and cargo weight may affect payload/towing weights. Contact dealer for details.

©2024 FCA US LLC. All Rights Reserved. Ram, Mopar, Ram ProMaster, the Ram's Head logo, LaneSense, ParkSense, ParkView, Tradesman and Uconnect are registered trademarks of FCA US LLC.

Bluetooth is a registered trademark of Bluetooth SIG, Inc. Facebook and logo are registered trademarks of Meta Platforms, Inc. The X service marks (formerly Twitter) are the intellectual property of X Corp. Instagram and logo are registered trademarks of Instagram, Inc. SiriusXM Connected Vehicles Services Inc., Sirius, XM, SiriusXM, and all related marks and logos are trademarks of SiriusXM Radio Inc. LinkedIn, the LinkedIn logo, the IN logo and InMail are registered trademarks or trademarks of LinkedIn Corporation and its affiliates in the United States and/or other countries. TikTok is a trademark of ByteDance Ltd. Amazon and all related logos and marks are trademarks of Amazon.com, Inc. or its affiliates. Apple CarPlay is a registered trademark of Apple Inc. YouTube and logo are registered trademarks and Android Auto and other related marks are trademarks of Google LLC. Nexen is a registered trademark of Nexen Tire Corporation.

This brochure is a publication of FCA US LLC. All product illustrations and specifications are based upon current information at the time of publication approval. FCA US LLC reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models which are considered necessary to the purpose of product improvement or for reasons of design and/or marketing.

RAM.COM

RAM IS A REGISTERED TRADEMARK OF FCA US LLC.

01/25